

Author index

Volume 61 (1997)

- Akimenko, M.-A., see Ellies, D.L. **61**, 23
 Andreazzoli, M., see Casarosa, S. **61**, 187
 Arendt, D., K. Nübler-Jung, Dorsal or ventral: similarities in fate maps and gastrulation patterns in annelids, arthropods and chordates **61**, 7
 Barlow, D.P., see Lerchner, W. **61**, 141
 Barsacchi, G., see Casarosa, S. **61**, 187
 Beeman, R.W., see Brown, S.J. **61**, 165
 Bell, J.R., see Dobias, S.L. **61**, 37
 Bergeret, E., see Guichard, A. **61**, 49
 Blumenstock, C., see Meersseman, G. **61**, 127
 Brown, S.J., J.K. Parrish, R.W. Beeman, R.E. Denell, Molecular characterization and embryonic expression of the *even-skipped* ortholog of *Tribolium castaneum* **61**, 165
 Bruneau, S., F.M. Rosa, Dynamo, a new zebrafish DVR member of the TGF- β superfamily is expressed in the posterior neural tube and is up-regulated by Sonic hedgehog **61**, 199
 Casarosa, S., M. Andreazzoli, A. Simeone, G. Barsacchi, *Xrx1*, a novel *Xenopus* homeobox gene expressed during eye and pineal gland development **61**, 187
 Denell, R.E., see Brown, S.J. **61**, 165
 Dobias, S.L., L. Ma, H. Wu, J.R. Bell, R. Maxson, The evolution of *Msx* gene function: expression and regulation of a sea urchin *Msx* class homeobox gene **61**, 37
 Ekker, M., see Ellies, D.L. **61**, 23
 Ellies, D.L., R.M. Langille, C.C. Martin, M.-A. Akimenko, M. Ekker, Specific craniofacial cartilage dysmorphogenesis coincides with a loss of *dlx* gene expression in retinoic acid-treated zebrafish embryos **61**, 23
 Green, J.B.A., see New, H.V. **61**, 175
 Griffin-Shea, R., see Guichard, A. **61**, 49
 Guichard, A., E. Bergeret, R. Griffin-Shea, Overexpression of RnRacGAP in *Drosophila melanogaster* deregulates cytoskeletal organisation in cellularising embryos and induces discrete imaginal phenotypes **61**, 49
 Hogan, B.L.M., see Zhao, G.-Q. **61**, 63
 Hughes, S.M., K. Koishi, M. Rudnicki, A.M. Maggs, MyoD protein is differentially accumulated in fast and slow skeletal muscle fibres and required for normal fibre type balance in rodents **61**, 151
 Huylebroeck, D., see Meersseman, G. **61**, 127
 Itoh, K., S.Y. Sokol, Graded amounts of *Xenopus* dishevelled specify discrete anteroposterior cell fates in prospective ectoderm **61**, 113
 Kalcheim, C., see Pruginin-Bluger, M. **61**, 99
 Kavka, A.I., see New, H.V. **61**, 175
 Koishi, K., see Hughes, S.M. **61**, 151
 Kozak, C.A., see Meersseman, G. **61**, 127
 Kraft, H., see Meersseman, G. **61**, 127
 Krone, P.H., see Lele, Z. **61**, 89
 Langille, R.M., see Ellies, D.L. **61**, 23
 Lele, Z., P.H. Krone, Expression of genes encoding the collagen-binding heat shock protein (Hsp47) and type II collagen in developing zebrafish embryos **61**, 89
 Lerchner, W., D.P. Barlow, Paternal repression of the imprinted mouse *Igf2r* locus occurs during implantation and is stable in all tissues of the post-implantation mouse embryo **61**, 141
 Ma, L., see Dobias, S.L. **61**, 37
 Maggs, A.M., see Hughes, S.M. **61**, 151
 Martin, C.C., see Ellies, D.L. **61**, 23
 Maxson, R., see Dobias, S.L. **61**, 37
 Meersseman, G., K. Verschueren, L. Nelles, C. Blumenstock, H. Kraft, G. Wuytens, J. Remacle, C.A. Kozak, P. Tylzanowski, C. Niehrs, D. Huylebroeck, The C-terminal domain of Mad-like signal transducers is sufficient for biological activity in the *Xenopus* embryo and transcriptional activation **61**, 127
 Nelles, L., see Meersseman, G. **61**, 127
 New, H.V., A.I. Kavka, J.C. Smith, J.B.A. Green, Differential effects on *Xenopus* development of interference with type IIA and type IIB activin receptors **61**, 175
 Niehrs, C., see Meersseman, G. **61**, 127
 Nikaido, M., M. Tada, T. Saji, N. Ueno, Conservation of BMP signaling in zebrafish mesoderm patterning **61**, 75
 Nübler-Jung, K., see Arendt, D. **61**, 7
 Parrish, J.K., see Brown, S.J. **61**, 165
 Pruginin-Bluger, M., D.L. Shelton, C. Kalcheim, A paracrine effect for neuron-derived BDNF in development of dorsal root ganglia: stimulation of Schwann cell myelin protein expression by glial cells **61**, 99
 Remacle, J., see Meersseman, G. **61**, 127
 Rosa, F.M., see Bruneau, S. **61**, 199
 Rudnicki, M., see Hughes, S.M. **61**, 151
 Saji, T., see Nikaido, M. **61**, 75
 Shelton, D.L., see Pruginin-Bluger, M. **61**, 99
 Simeone, A., see Casarosa, S. **61**, 187
 Smith, J.C., see New, H.V. **61**, 175
 Sokol, S.Y., see Itoh, K. **61**, 113
 Tada, M., see Nikaido, M. **61**, 75
 Tylzanowski, P., see Meersseman, G. **61**, 127
 Ueno, N., see Nikaido, M. **61**, 75

Verschueren, K., see Meersseman, G. **61**, 127

Wu, H., see Dobias, S.L. **61**, 37

Wuytens, G., see Meersseman, G. **61**, 127

Zhao, G.-Q., B.L.M. Hogan, Evidence that *Mothers-against-dpp-related 1 (Madrl)* plays a role in the initiation and maintenance of spermatogenesis in the mouse **61**, 63

Subject index

Volume 61 (1997)

Actin; RacGAP; *Drosophila melanogaster*; Cellularisation; Imaginal development **61**, 49

Activin receptor; *Xenopus*; Mesoderm induction; Activin **61**, 175

Activin; *Xenopus*; Mesoderm induction; Activin receptor **61**, 175

Anteroposterior axis; Morphogen; Neural induction; Wnt; Organizer **61**, 113

Avian embryo; Dorsal root ganglion; Glia; Neurotrophin; Non-neuronal cells; NGF; NT-3; p75; Schwann cells; Sensory ganglia; trkA; trkB; trkC; trk fusion proteins **61**, 99

Axial mutants; Posterior neural tube; Transforming growth factor- β ; *Sonic hedgehog*; Zebrafish **61**, 199

BMP; Zebrafish; Mesoderm patterning; Dorso-ventral polarity **61**, 75

BMP8; *Madr1*; Spermatogenesis; Germ cells; Testis; Fertility **61**, 63

Cartilage; Head skeleton; Homeobox genes; Neural crest; Retinoic acid; Zebrafish **61**, 23

Cellularisation; RacGAP; *Drosophila melanogaster*; Actin; Imaginal development **61**, 49

Circadian rhythms; *Xenopus*; Homeobox gene; Eye and pineal gland development **61**, 187

Collagen type II; Hsp47; Zebrafish; Development **61**, 89

Development; Hsp47; Collagen type II; Zebrafish **61**, 89

Dorsal root ganglion; Avian embryo; Glia; Neurotrophin; Non-neuronal cells; NGF; NT-3; p75; Schwann cells; Sensory ganglia; trkA; trkB; trkC; trk fusion proteins **61**, 99

Dorso-ventral polarity; Zebrafish; BMP; Mesoderm patterning **61**, 75

Dorsoventral axis inversion; Fate maps; Gastrulation patterns; Neural body side; Midline cells; Homology **61**, 7

***Drosophila melanogaster*;** RacGAP; Actin; Cellularisation; Imaginal development **61**, 49

Even-skipped; Tribolium; Segmentation; Pair-rule **61**, 165

Eye and pineal gland development; *Xenopus*; Homeobox gene; Circadian rhythms **61**, 187

Fate maps; Gastrulation patterns; Neural body side; Dorsoventral axis inversion; Midline cells; Homology **61**, 7

Fertility; BMP8; *Madr1*; Spermatogenesis; Germ cells; Testis **61**, 63

Fibre type; Muscle; MyoD; Myoblast **61**, 151

Gastrulation patterns; Fate maps; Neural body side; Dorsoventral axis inversion; Midline cells; Homology **61**, 7

Gastrulation; Sea urchin; Homeobox; Msx; Tissue interactions **61**, 37

Germ cells; BMP8; *Madr1*; Spermatogenesis; Testis; Fertility **61**, 63

Glia; Avian embryo; Dorsal root ganglion; Neurotrophin; Non-neuronal cells; NGF; NT-3; p75; Schwann cells; Sensory ganglia; trkA; trkB; trkC; trk fusion proteins **61**, 99

Head skeleton; Cartilage; Homeobox genes; Neural crest; Retinoic acid; Zebrafish **61**, 23

Homeobox gene; *Xenopus*; Eye and pineal gland development; Circadian rhythms **61**, 187

Homeobox genes; Cartilage; Head skeleton; Neural crest; Retinoic acid; Zebrafish **61**, 23

Homeobox; Sea urchin; Msx; Tissue interactions; Gastrulation **61**, 37

Homology; Fate maps; Gastrulation patterns; Neural body side; Dorsoventral axis inversion; Midline cells **61**, 7

Hsp47; Collagen type II; Zebrafish; Development **61**, 89

Igf2r; Post-implantation embryo; Paternal repression; Mouse **61**, 141

Imaginal development; RacGAP; *Drosophila melanogaster*; Actin; Cellularisation **61**, 49

***Madr1*;** BMP8; Spermatogenesis; Germ cells; Testis; Fertility **61**, 63

Mesoderm induction; *Xenopus*; Activin; Activin receptor **61**, 175

Mesoderm patterning; Zebrafish; BMP; Dorso-ventral polarity **61**, 75

Midline cells; Fate maps; Gastrulation patterns; Neural body side; Dorsoventral axis inversion; Homology **61**, 7

Morphogen; Neural induction; Wnt; Organizer; Anteroposterior axis **61**, 113

Mothers against dpp; Serine-threonine kinase receptors; Signal transduction; Transcription factors; Transforming growth factor- β **61**, 127

Mouse; *Igf2r*; Post-implantation embryo; Paternal repression **61**, 141

- Msx**; Sea urchin; Homeobox; Tissue interactions; Gastrulation **61**, 37
- Muscle**; MyoD; Fibre type; Myoblast **61**, 151
- Myoblast**; Muscle; MyoD; Fibre type **61**, 151
- MyoD**; Muscle; Fibre type; Myoblast **61**, 151
- Neural body side**; Fate maps; Gastrulation patterns; Dorsoventral axis inversion; Midline cells; Homology **61**, 7
- Neural crest**; Cartilage; Head skeleton; Homeobox genes; Retinoic acid; Zebrafish **61**, 23
- Neural induction**; Morphogen; Wnt; Organizer; Anteroposterior axis **61**, 113
- Neurotrophin**; Avian embryo; Dorsal root ganglion; Glia; Non-neuronal cells; NGF; NT-3; p75; Schwann cells; Sensory ganglia; trkA; trkB; trkC; trk fusion proteins **61**, 99
- NGF**; Avian embryo; Dorsal root ganglion; Glia; Neurotrophin; Non-neuronal cells; NT-3; p75; Schwann cells; Sensory ganglia; trkA; trkB; trkC; trk fusion proteins **61**, 99
- Non-neuronal cells**; Avian embryo; Dorsal root ganglion; Glia; Neurotrophin; NGF; NT-3; p75; Schwann cells; Sensory ganglia; trkA; trkB; trkC; trk fusion proteins **61**, 99
- NT-3**; Avian embryo; Dorsal root ganglion; Glia; Neurotrophin; Non-neuronal cells; NGF; p75; Schwann cells; Sensory ganglia; trkA; trkB; trkC; trk fusion proteins **61**, 99
- Organizer**; Morphogen; Neural induction; Wnt; Anteroposterior axis **61**, 113
- p75**; Avian embryo; Dorsal root ganglion; Glia; Neurotrophin; Non-neuronal cells; NGF; NT-3; Schwann cells; Sensory ganglia; trkA; trkB; trkC; trk fusion proteins **61**, 99
- Pair-rule**; Tribolium; Segmentation; Even-skipped **61**, 165
- Paternal repression**; *Igf2r*; Post-implantation embryo; Mouse **61**, 141
- Post-implantation embryo**; *Igf2r*; Paternal repression; Mouse **61**, 141
- Posterior neural tube**; Transforming growth factor- β ; *Sonic hedgehog*; Zebrafish; Axial mutants **61**, 199
- RacGAP**; *Drosophila melanogaster*; Actin; Cellularisation; Imaginal development **61**, 49
- Retinoic acid**; Cartilage; Head skeleton; Homeobox genes; Neural crest; Zebrafish **61**, 23
- Schwann cells**; Avian embryo; Dorsal root ganglion; Glia; Neurotrophin; Non-neuronal cells; NGF; NT-3; p75; Sensory ganglia; trkA; trkB; trkC; trk fusion proteins **61**, 99
- Sea urchin**; Homeobox; *Msx*; Tissue interactions; Gastrulation **61**, 37
- Segmentation**; Tribolium; Even-skipped; Pair-rule **61**, 165
- Sensory ganglia**; Avian embryo; Dorsal root ganglion; Glia; Neurotrophin; Non-neuronal cells; NGF; NT-3; p75; Schwann cells; trkA; trkB; trkC; trk fusion proteins **61**, 99
- Serine-threonine kinase receptors**; Mothers against dpp; Signal transduction; Transcription factors; Transforming growth factor- β **61**, 127
- Signal transduction**; Mothers against dpp; Serine-threonine kinase receptors; Transcription factors; Transforming growth factor- β **61**, 127
- Sonic hedgehog**; Posterior neural tube; Transforming growth factor- β ; Zebrafish; Axial mutants **61**, 199
- Spermatogenesis**; BMP8; *Madrl*; Germ cells; Testis; Fertility **61**, 63
- Testis**; BMP8; *Madrl*; Spermatogenesis; Germ cells; Fertility **61**, 63
- Tissue interactions**; Sea urchin; Homeobox; *Msx*; Gastrulation **61**, 37
- Transcription factors**; Mothers against dpp; Serine-threonine kinase receptors; Signal transduction; Transforming growth factor- β **61**, 127
- Transforming growth factor- β** ; Posterior neural tube; Sonic hedgehog; Zebrafish; Axial mutants **61**, 199
- Transforming growth factor- β** ; Mothers against dpp; Serine-threonine kinase receptors; Signal transduction; Transcription factors **61**, 127
- Tribolium**; Segmentation; Even-skipped; Pair-rule **61**, 165
- trk fusion proteins**; Avian embryo; Dorsal root ganglion; Glia; Neurotrophin; Non-neuronal cells; NGF; NT-3; p75; Schwann cells; Sensory ganglia; trkA; trkB; trkC **61**, 99
- trkA**; Avian embryo; Dorsal root ganglion; Glia; Neurotrophin; Non-neuronal cells; NGF; NT-3; p75; Schwann cells; Sensory ganglia; trkB; trkC; trk fusion proteins **61**, 99
- trkB**; Avian embryo; Dorsal root ganglion; Glia; Neurotrophin; Non-neuronal cells; NGF; NT-3; p75; Schwann cells; Sensory ganglia; trkA; trkC; trk fusion proteins **61**, 99
- trkC**; Avian embryo; Dorsal root ganglion; Glia; Neurotrophin; Non-neuronal cells; NGF; NT-3; p75; Schwann cells; Sensory ganglia; trkA; trkB; trk fusion proteins **61**, 99
- Wnt**; Morphogen; Neural induction; Organizer; Anteroposterior axis **61**, 113
- Xenopus**; Homeobox gene; Eye and pineal gland development; Circadian rhythms **61**, 187
- Xenopus**; Mesoderm induction; Activin; Activin receptor **61**, 175
- Zebrafish**; BMP; Mesoderm patterning; Dorso-ventral polarity **61**, 75
- Zebrafish**; Cartilage; Head skeleton; Homeobox genes; Neural crest; Retinoic acid **61**, 23
- Zebrafish**; Hsp47; Collagen type II; Development **61**, 89
- Zebrafish**; Posterior neural tube; Transforming growth factor- β ; *Sonic hedgehog*; Axial mutants **61**, 199